What is claimed is:

15

An electronic apparatus providing a device for displaying comprising:

an organic electroluminescent device for displaying comprising organic

electroluminescent elements in which at least one organic light emitting layer is
interposed between an anode and a cathode; and
a liquid crystal device for displaying.

2. An electronic apparatus according to claim 1, said electronic apparatus being a limit 10 mobile terminal.

An electronic apparatus according to claim 1, when not manipulated for a predetermined period or during stand-by, said organic electroluminescent device being in a non-display mode, and only said liquid crystal device being in a display mode.

device being driven by an active matrix driving method.

20 transflective liquid crystal display device.

505 a 7 6. An electronic apparatus according to claims 1, said liquid crystal device being a reflective liquid crystal display device.

Sus 25 7. An electronic apparatus according to claims 1, said liquid crystal device being

driven by a simple matrix driving method.

ļ.

(M

Susan 8. An electronic apparatus according to claims 1, said liquid crystal device being driven by an active matrix driving method..

5

Sussaid liquid crystal device being a monochrome display.

10. An electronic apparatus according to claims 1, said liquid crystal device being a local color display.

Susan 11. An electronic apparatus according to claims 1, an organic electroluminiscent device is used as a light source for said liquid crystal device.

15 12. An electronic apparatus according to claims 1, further comprising a mean for switching the devices for displaying between said liquid crystal device and said organic electroluminescent device.

20 suspend the display by said organic electroluminescent device and to switching automatically the display by said liquid crystal device, when the remaining charge of the battery provided in said electronic apparatus becomes a predetermined remaining charge.

14. An electronic apparatus according to claims 1, further comprising a mean to switch device for displaying from said organic electroluminescent device to said liquid crystal

device when said organic electroluminescent display is not manipulated for a predetermined period while said organic electroluminescent display is continuously driven.

ogd)